Neuroscience Letters, 233 (1997) 160–162
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abla, D., see Shibata, T., 117
Alho, K., Sinervo, N., Preattentive processing of complex sounds in the human brain, 33
Amano, N., see Komori, T., 89
Anastasopoulos, D., Haslwanter, T., Bronstein, A., Fetter, M., Dichgans, J., Dissociation between the perception of body verticality and the visual vertical in acute peripheral vestibular disorder in humans, 151
Arai, M., see Togari, A., 125
Arai, N., see Komori, T., 89
Arias-Montaño, J.-A., de la Vega, Ma.T., 69
Arletti, R., Calza, L., Giardino, L., Benelli, A., Cavazzuti, E., Bertolini, A., Sexual impotence is associated with a reduced production of oxytocin and with an increased production of opioid peptides in the paraventricular nucleus of male rats, 65
Asai, A., see Mishima, K., 29
Axenova, L.N., see Panova, N.G., 58

Bains, J.S., see Smith, P.M., 81
Barker, W., see Fallin, D., 145
Barnstable, C.J., see Wei, J.-Y., 37
Baudry, M., see Garcia, R., 41
Beart, P.M., see Cheung, N.S., 13
Bellivier, F., Laplanche, J.-L., Schürhoff, F., Feingold, J., Féline, A., Jouvent, R., Launay, J.-M., Leboyer, M., Apolipoprotein E gene polymorphism in early and late onset bipolar patients, 45
Benelli, A., see Arletti, R., 65
Bertolini, A., see Arletti, R., 65
Bleckmann, H., see Hofmann, M.H., 154
Blok, B.F.M., de Weerd, H., Holstege, G., The pontine micturition center projects to sacral cord GABA immunoreactive neurons in the cat, 109
Blunt, S.B., see Sullivan, A.M., 73
Boneh, A., see Hanani, M., 61
Borrione, P., Fabiani, L., Geuna, S., Giacobini-Robecchi, M.G., Nucleoplasmic index variability in dorsal root ganglion neurons of the lizard (*Podarcis sicula*) during neuronal hypertrophy, 1
Bouterfa, H., see Vince, G.H., 148
Brenner, T., see Hanani, M., 61
Bronstein, A., see Anastasopoulos, D., 151
Browning, R.A., see Eells, J.B., 21

Calza, L., see Arletti, R., 65
Cardinali, D.P., see Golombek, D.A., 9
Carlton, S.M., see deGroot, J.F., 113
Cavazzuti, E., see Arletti, R., 65
Cheng, J.-T., Saluja, I., Song, D., O'Regan, M.H., Phillis, J.W., Role of phospholipase A_2 in the release of free fatty acids during ischemia-reperfusion in the rat cerebral cortex, 97
Cheung, N.S., Hickling, Y.M., Beart, P.M., Development and survival of rat embryonic mesencephalic dopaminergic neurones in serum-free, antioxidant-rich primary cultures, 13
Clough, R.W., see Eells, J.B., 21
Coggeshall, R.E., see deGroot, J.F., 113
Cohen, E.D., see Wei, J.-Y., 37
Contestabile, A., see Virgili, M., 53
Crawford, F., see Fallin, D., 145

Dalia, A., see Laudrup, P., 5
de la Vega, Ma.T., Nuñez, A., Arias-Montaño, J.-A., Carbachol-induced inositol phosphate formation in rat striatum is mediated by both M_1 and M_3 muscarinic receptors, 69
de Weerd, H., see Blok, B.F.M., 109
deGroot, J.F., Coggeshall, R.E., Carlton, S.M., The reorganization of μ opioid receptors in the rat dorsal horn following peripheral axotomy, 113
Dichgans, J., see Anastasopoulos, D., 151
D'Souza, S.W., see Lees, R.D., 133
Duara, R., see Fallin, D., 145

Eells, J.B., Clough, R.W., Browning, R.A., Jobe, P.C., Fos in locus coeruleus neurons following audiogenic seizure in the genetically epilepsy-prone rat: comparison to electroshock and pentylenetetrazol seizure models, 21

Fabiani, L., see Borrione, P., 1
Fallin, D., Kundtz, A., Town, T., Gauntlett, A.C., Duara, R., Barker, W., Crawford, F., Mullan, M., No association between the low density lipoprotein receptor-related protein (LRP) gene and late-onset Alzheimer's disease in a community-based sample, 145
Feingold, J., see Bellivier, F., 45
Féline, A., see Bellivier, F., 45
Ferguson, A.V., see Smith, P.M., 81
Fetter, M., see Anastasopoulos, D., 151
Flügge, G., see Vollmann-Honsdorf, G.K., 121
Fuchs, E., see Vollmann-Honsdorf, G.K., 121
Fukuda, Y., see Sugihara, H., 137

Garcia, R., Musleh, W., Tocco, G., Thompson, R.F., Baudry, M., Time-dependent blockade of STP and LTP in hippocampal slices following acute stress in mice, 41
Gauer, F., Schuster, C., Pévet, P., Masson-Pévet, M., Effect of a light pulse on melatonin receptor density and mRNA expression in Siberian hamster suprachiasmatic nuclei, 49
Gauntlett, A.C., see Fallin, D., 145
Geuna, S., see Borrione, P., 1
Giacobini-Robecchi, M.G., see Borrione, P., 1
Giardino, L., see Arletti, R., 65
Goldbrunner, R., see Vince, G.H., 148
Golombek, D.A., Rosenstein, R.E., Yannielli, P.C., Keller Sarmiento, M.I., Cardinali, D.P., Aging attenuates diurnal variation in hamster locomotion, anxiolysis and GABA turnover, 9
Guilarte, T.R., see Kuhlmann, A.C., 101

Hanani, M., Lin, Z., Louzon, V., Brenner, T., Boneh, A., Phorbol esters alter the morphology of cultured guinea-pig myenteric glia via a protein kinase C-independent mechanism in guinea-pig, 61
Hanesch, U., Heppelmann, B., Schmidt, R.F., Quantification of cat's articular afferents containing calcitonin gene-related peptide or substance P innervating normal and acutely inflamed knee joints, 105
Haslwanter, T., see Anastasopoulos, D., 151
Heppelmann, B., see Hanesch, U., 105
Hickling, Y.M., see Cheung, N.S., 13
Hirata, K., see Tokuyama, S., 141
Hirobe, M., see Kojima, H., 157
Hofmann, M.H., Bleckmann, H., Subdivisions of the olfactory system in the sterlet *Acipenser ruthenus*, 154
Holmes, G.L., see Liu, Z., 85

0304-3940/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved
PII S0304-3940(97)00674-5

Holstege, G., see Blok, B.F.M., 109
Hötten, G., see Sullivan, A.M., 73

Ide, A., see Tokuyama, S., 141
Inamura, K., Kashiwayanagi, M., Kurihara, K., Blockage of urinary responses by inhibitors for IP_3-mediated pathway in rat vomeronasal sensory neurons, 129
Ino, Y., see Mishima, K., 29
Inoue, T., see Sugihara, H., 137
Ito, T., see Shibata, T., 117
Iwasa, H., see Shibata, T., 117

Jobe, P.C., see Eells, J.B., 21
Jouvent, R., see Bellivier, F., 45

Kadomatsu, K., see Mishima, K., 29
Kashiwayanagi, M., see Inamura, K., 129
Keller Sarmiento, M.I., see Golombek, D.A., 9
Kikuchi, K., see Kojima, H., 157
Kirino, T., see Mishima, K., 29
Kobayashi, M., see Komori, T., 89
Kojima, H., Kikuchi, K., Hirobe, M., Nagano, T., Real-time measurement of nitric oxide production in rat brain by the combination of luminol-H_2O_2 chemiluminescence and microdialysis, 157
Komori, T., Arai, N., Oda, M., Nakayama, H., Murayama, S., Amano, N., Shibata, N., Kobayashi, M., Sasaki, S., Yagishita, S., Morphologic difference of neuropil threads in Alzheimer's disease, corticobasal degeneration and progressive supranuclear palsy: a morphometric study, 89
Koseki, K., see Shibata, T., 117
Koshihara, Y., see Togari, A., 125
Kuhlmann, A.C., McGlothan, J.L., Guilarte, T.R., Developmental lead exposure causes spatial learning deficits in adult rats, 101
Kumon, Y., see Watanabe, H., 25
Kundtz, A., see Fallin, D., 145
Kurihara, K., see Inamura, K., 129

Laplanche, J.-L., see Bellivier, F., 45
Laudrup, P., Dalia, A., Uretsky, N.J., Wallace, L.J., Differential effect of sensitizing regimen on induction of Fos-protein and locomotor activity elicited by apomorphine in rats, 5
Launay, J.-M., see Bellivier, F., 45
Leboyer, M., see Bellivier, F., 45
Lees, R.D., Slater, P., D'Souza, S.W., Nitric oxide does not modulate kainate receptor binding in human brain, 133
Lin, Z., see Hanani, M., 61
Liu, Z., Holmes, G.L., Basic fibroblast growth factor-induced seizures in rats, 85
Louzon, V., see Hanani, M., 61

Masson-Pévet, M., see Gauer, F., 49
Matsuda, S., see Watanabe, H., 25
McGlothan, J.L., see Kuhlmann, A.C., 101
Medvedev, A.E., see Panova, N.G., 58
Mishima, K., Asai, A., Kadomatsu, K., Ino, Y., Nomura, K., Narita, Y., Muramatsu, T., Kirino, T., Increased expression of midkine during the progression of human astrocytomas, 29
Mizutani, S., see Togari, A., 125
Mizutani, S., see Togari, A., 125
Mullan, M., see Fallin, D., 145
Muramatsu, T., see Mishima, K., 29
Murayama, S., see Komori, T., 89
Musleh, W., see Garcia, R., 41

Nagano, T., see Kojima, H., 157
Nagatsu, T., see Togari, A., 125
Nakajima, Y., see Shibata, T., 117
Nakanishi, S., see Sugihara, H., 137
Nakano, K., see Watanabe, H., 25
Nakayama, H., see Komori, T., 89
Narita, Y., see Mishima, K., 29
Nomura, K., see Mishima, K., 29
Nuñez, A., de la Vega, Ma.T., 69

Oda, M., see Komori, T., 89
Ohta, S., see Watanabe, H., 25
Opacka-Juffry, J., see Sullivan, A.M., 73
O'Regan, M.H., see Saluja, I., 97

Panova, N.G., Zemskova, M.A., Axenova, L.N., Medvedev, A.E., Does isatin interact with rat brain monoamine oxidases in vivo?, 58
Pévet, P., see Gauer, F., 49
Phillis, J.W., see Saluja, I., 97
Pohl, J., see Sullivan, A.M., 73

Roosen, K., see Vince, G.H., 148
Rosenstein, R.E., see Golombek, D.A., 9

Sakaki, S., see Watanabe, H., 25
Sakanaka, M., see Watanabe, H., 25
Sasaki, S., see Komori, T., 89
Sato, T., see Shibata, T., 117
Schmidt, R.F., see Hanesch, U., 105
Schürhoff, F., see Bellivier, F., 45
Schuster, C., see Gauer, F., 49
Shibata, N., see Komori, T., 89
Shibata, T., Shimoyama, I., Ito, T., Abla, D., Iwasa, H., Koseki, K., Yamanouchi, N., Sato, T., Nakajima, Y., The time course of interhemispheric EEG coherence during a GO/NO-GO task in humans, 117
Shimoyama, I., see Shibata, T., 117
Sinervo, N., see Alho, K., 33
Slater, P., see Lees, R.D., 133
Smith, P.M., Bains, J.S., Ferguson, A.V., Long duration pressor responses following activation of subfornical organ neurons in rats are the result of increased circulating vasopressin, 81
Song, D., see Saluja, I., 97
Sugihara, H., Inoue, T., Nakanishi, S., Fukuda, Y., A late ON response remains in visual response of the mGluR6-deficient mouse, 137
Sullivan, A.M., Opacka-Juffry, J., Hötten, G., Pohl, J., Blunt, S.B., Growth/differentiation factor 5 protects nigrostriatal dopaminergic neurones in a rat model of Parkinson's disease, 73

Takahashi, T., Analyses on the temporal patterns of spikes of auditory neurons of the macaque monkey by means of an artificial neural network and tree-based models, 17
Thompson, R.F., see Garcia, R., 41
Tocco, G., see Garcia, R., 41
Togari, A., Arai, M., Mizutani, S., Mizutani, S., Koshihara, Y., Nagatsu, T., Expression of mRNAs for neuropeptide receptors and β-adrenergic

receptors in human osteoblasts and human osteogenic sarcoma cells, 125
Tokuyama, S., Hirata, K., Ide, A., Ueda, H., Sigma ligands stimulate GTPase activity in mouse prefrontal membranes: evidence for the existence of metabotropic sigma receptor, 141
Tong, Y.-C., Wang, C.-J., Cheng, J.-T., The role of nitric oxide in the control of plasma glucose concentration in spontaneously hypertensive rats, 93
Tonn, C.J., see Vince, G.H., 148
Town, T., see Fallin, D., 145
Tsai, C.-L., Wang, L.-H., Effects of thermal acclimation on the neurotransmitters, serotonin and norepinephrine in the discrete brain of male and female tilapia, *Oreochromis mossambicus*, 77

Ueda, H., see Tokuyama, S., 141
Uretsky, N.J., see Laudrup, P., 5

Vandi, M., see Virgili, M., 53
Vince, G.H., Bouterfa, H., Goldbrunner, R., Roosen, K., Christian Tonn, J., Fast blue, a fluorescent tracer in glioma cell culture, affects cell proliferation and motility, 148
Virgili, M., Vandi, M., Contestabile, A., Ischemic and excitotoxic damage to brain slices from normal and microencephalic rats, 53
Vollmann-Honsdorf, G.K., Flügge, G., Fuchs, E., Chronic psychosocial stress does not affect the number of pyramidal neurons in tree shrew hippocampus, 121

Wallace, L.J., see Laudrup, P., 5
Wang, C.-J., see Tong, Y.-C., 93
Wang, L.-H., see Tsai, C.-L., 77
Watanabe, H., Kumon, Y., Ohta, S., Nakano, K., Sakaki, S., Matsuda, S., Sakanaka, M., Protein synthesis inhibitor transiently reduces neuronal death in the thalamus of spontaneously hypertensive rats following cortical infarction, 25
Wei, J.-Y., Cohen, E.D., Barnstable, C.J., Direct blockade of both cloned rat rod photoreceptor cyclic nucleotide-gated non-selective cation (CNG) channel α-subunit and native CNG channels from *Xenopus* rod outer segments by H-8, a non-specific cyclic nucleotide-dependent protein kinase inhibitor, 37

Yagishita, S., see Komori, T., 89
Yamanouchi, N., see Shibata, T., 117
Yannielli, P.C., see Golombek, D.A., 9

Zemskova, M.A., see Panova, N.G., 58